

TABLE 1: GUINTAR-NIVERENGO-ALEMAN SUMMARY DRILL RESULTS

HOLE ID	E	N	Z(m)	DIP	AZIM	DEPTH	FROM	TO	GOLD GRADE (g/t)	SILVER GRADE (g/t)	COPPER %	WIDTH	GOLD EQUIV^	INCLUDES				
														LENGTH (m)*	GOLD GRADE (g/t)	SILVER GRADE (g/t)	COPPER %	GOLD EQUIV
GUI-DD-001	391385	698611	2469	-60	317	405.0	156.0	160.0	1.2	1.3		4.0	1.2					
							184.0	196.0	0.5	2.8		12.0	0.5					
							236.0	248.0	0.8	6.2		12.0	0.9					
GUI-DD-002	391385	698608	2469	-60	225	462.1	48.0	52.0	0.6	4.4	0.10	4.0	0.7					
							214.0	216.0	1.7			2.0	1.7					
							308.0	324.0	0.7	3.6		16.0	0.7					
GUI-DD-003	391322	698535	2537	-60	315	420.3	18.0	32.0	0.5	7.4		14.0	0.6					
							62.0	72.0	0.5	5.5		10.0	0.6					
							148.0	182.0	0.5	1.0		34.0	0.5					
							170.0	174.0	1.1	1.7		4.0	1.1					
GUI-DD-004	391324	698532	2537	-60	135	404.2	380.0	382.0	2.3	5.2		2.0	2.4					
							16.0	32.0	0.6	7.2		16.0	0.7					
							44.0	52.0	0.2	5.0	0.25	8.0	0.5					
							110.0	112.0	1.1	4.1	0.10	2.0	1.2					
GUI-DD-005	391387	698611	2469	-60	45	412.1	244.0	262.0	0.6	3.0		18.0	0.6					
							392.0	396.0	0.9	2.4		4.0	0.9					
							30.0	38.0	0.5	1.3		8.0	0.5					
							118.0	170.0	0.2	2.6	0.11	52.0	0.3					
GUI-DD-006	391671	698821	2266	-60	315	400.5	202.0	222.0	0.4	2.6	0.10	20.0	0.5					
							232.0	248.0	0.5	1.5		16.0	0.8					
							264.0	268.0	1.0	3.1		4.0	1.0					
							336.0	352.0	0.5	2.5		16.0	0.5					
GUI-DD-007	391672	698819	2266	-60	225	401.4	380.0	392.0	0.3	2.5	0.13	12.0	0.5					
							0.0	72.0	0.5	3.6	0.09	72.0	0.6					
							140.0	188.0	0.4	3.2	0.13	48.0	0.6					
							298.0	312.0	0.5	1.7		14.0	0.5					
GUI-DD-008	391674	698821	2266	-60	45	400.8	328.0	336.0	0.8	1.0		8.0	0.8					
							38.0	44.0	0.6	3.2	0.12	6.0	0.8					
							88.0	90.0	1.3	3.5		2.0	1.3					
							162.0	164.0	1.3	4.1		2.0	1.3					
GUI-DD-009	392279	698047	2375	-55	345	474.1	344.0	360.0	0.5			16.0	0.5					
							16.0	94.0	0.2	3.1	0.13	78.0	0.4					
							188.0	238.0	0.4	4.0	0.13	50.0	0.6					
							288.0	290.0	1.1			2.0	1.1					
GUI-DD-010	392280	698047	2375	-55	30	404.5	322.0	354.0	0.4	2.3	0.12	32.0	0.5					
							32.0	202.0	0.3			170.0	0.3					
GUI-DD-011	391643	698953	2244	-75	180	400.6	404.0	474.1	0.5			70.1	0.5					
							46.0	86.0	0.5			40.0	0.5					
							128.0	138.0	0.8	1.5		10.0	0.8					
							0.0	18.0	0.6	7.0		18.0	0.7					
							99.7	117.6	0.9	1.9		17.9	0.9					
							173.0	179.6	0.8	3.1		6.6	0.8					
							186.5	191.7	0.5	4.2	0.12	5.2	0.7					
							234.0	242.0	0.7	1.4		8.0	0.7					
GUI-DD-012	391870	698821	2185	-60	360	320.7	291.7	296.1	0.9	1.7		4.4	0.9					
							314.0	316.3	0.6			2.3	0.6					
							344.0	348.0	0.9			4.0	0.9					
							17.0	320.7	0.7	4.3	0.22	303.7	1.0	62	2.1	12.4	0.62	2.8
							36.0	40.0	0.8	1.2		4.0	0.8					
							68.0	194.0	0.8	5.5	0.34	126.0	1.2	55	1.5	10.8	0.60	2.2
							284.5	293.0	0.5	3.1	0.23	8.5	0.8					
							310.0	314.0	1.9			4.0	1.9					
GUI-DD-013	391870	698821	2185	-80	360	588.3	441.0	447.0	1.0	1.5		6.0	1.0					
							498.0	499.0	1.1	5.5	0.33	1.0	1.5					
							510.5	516.5	1.2	3.9		6.0	1.2					
							577.0	578.0	1.2	5.9	0.19	1.0	1.5					
							8.0	13.0	1.1	8.6	0.18	5.0	1.4					
							17.5	21.0	0.7	2.4		3.5	0.7					
							48.5	49.5	4.4	8.0	0.19	1.0	4.7					
							94.0	96.0	6.4	1.4		2.0	6.4					
GUI-DD-014	392124	698756	2171	-70	210	372.73	246.5	252.0	0.9	0.9		5.5	0.9					
							31.0	42.5	1.0	1.7		11.5	1					
							99.0	103.0	0.8			4.0	0.8					
							176.0	180.5	1.0			4.5	1					
							196.0	200.5	1.0			4.5	1					
							217.0	218.0	10.6	9.6		1.0	10.7					
							239.0	240.0	1.0	1.4		1.0	1.4					
							285.5	286.0	2.9	11.3		0.5	3					
GUI-DD-015	392300	699250	2356	-75	360	466.56	0.0	15.0	0.1	216.1	0.12	15.0	2.6					
							336.0	340.0	0.9	1.6	0.11	4.0	1					
							365.0	372.0	1.0			7.0	1					
							391.0	398.0	0.6			7.0	0.6					
GUI-DD-016	392250	698900	2258	-65	30	436.58	431.0	436.6	0.6			5.6	0.6					
							55.0	58.0	1.0	9.1	0.14	3.0	1.2					
							121.0	122.5	0.5	5.4	0.16	1.5	0.7					
							165.0	175.0	0.6			10.0	0.6					
GUI-DD-017	392250	698900	2258	-65	320	235.84	221.5	235.4	0.5	3.8	0.12	13.9	0.7					
							20.5	68.0	0.3	2.5	0.15	47.5	0.7					
							84.0	91.0	1.8	4.9	0.11	7.0	0.5					
							122.0	127.0	0.8	1.8	0.90	5.0	2.0					
							140.0	147.5	0.7	1.9	0.11	7.5	1.7					
							282.5	285.0	0.8	1.6	0.11	2.5	0.8					
							377.0	379.0	1.0	1.8	0.14	2.0	0.9					
							414.0	418.5	0.7	2.1	0.15	4.5	1.2					
GUI-DD-018	391870	698821	2185	-60	60	496.71	481.0	483.0	1.0	5.8	0.15	2.0	0.9					
							0.0	5.0	1.2	6.2		5.0	1.2					
							77.0	81.0	3.7	10.4	0.19	4.0	4					
							96.0	100.5	0.6	10.3		4.5	0.7					
							207.0	209.0	2.1	1.9		2.0	2.1					
							267.0	268.0	2.1	1.1		1.0	2.1					
							326.0	327.0	1.3	3.2		1.0	1.3					
							361.0	370.0	0.6	1.8	0.19	9.0	0.8					
GUI-DD-019	391834	698837	2208	-60	345	386.98	3.0	141.0	0.7	3.6	0.16	138.0	0.9	54	1.0	5.5	0.24	1.3
							179.0	211.0	0.3	1.7	0.13	32.0	0.4					
							247.0	263.0	1.2	1.9	0.11	16.0	1.3					
							316.0	344.0	1.0	3.8	0.10	28.0	1.1					
							352.0	377.0	0.6	3.1	0.13	25.0	0.8					
							407.0	421.0	1.0	7.2	0.09	14.0	1.2					
							433.0	434.0	0.4	6.5		1.0	0.5					
							0.0	50.0	0.6	2.6	0.14	330.0	0.8	43	2.4	8	0.4	2.9
GUI-DD-020	391957	698933	2242	-70	250	434	41.0	62.0	0.7	7.1		21.0	0.8	ABANDONED ABOVE OBJECTIVE				
							0.0	45.0	0.6	3.1	0.18	45.0	0.8					
							94.0	194.0	0.5	2.5	0.17	100.0	0.7					
							212.0	221.0	0.5	3.4	0.20	9.0	0.7					
GUI-DD-021																		

GUI-DD-026	392183	698867	2195	-65	335	270.21	18.0	20.0	0.8	5.3	0.17	2.0	1.0						
							60.0	64.0	1.0	1.5		4.0	1						
							107.0	110.0	1.1	2.6	0.17	3.0	1.3						
							124.0	125.0	1.3	1.7		1.0	1.3						
							267.0	270.2	1.0	8.2	0.22	3.2	1.3						
GUI-DD-027	392300	699250	2356	-90	-	613.92	39.0	40.0	1.0			1.0	1						
							47.0	51.0	1.0	1.9		4.0	1						
							183.0	186.0	0.8	2.5		3.0	0.8						
							470.0	473.0	2.6			3.0	2.6						
							561.0	595.0	0.6			34.00	0.6						
NIV-DD-001	393279	699026	2025	-50	345	300.22	NO SIGNIFICANT INTERSECTIONS												
NIV-DD-002	393872	699573	2083	-50	345	226.16	NO SIGNIFICANT INTERSECTIONS												
NIV-DD-003	392909	699290	2253	-50	165	234.08	0.0	38.0	1.2	7.4		38.00	1.3	26	1.5	7.3		1.6	
							172.0	174.0	2.1	3.6		2.00	2.1						
NIV-DD-004	392909	699290	2253	-50	345	302.36	6.0	182.0	0.8	1.7		176.00	0.8						
NIV-DD-005	393078	699230	2144	-50	315	214.57	NO SIGNIFICANT INTERSECTIONS												
NIV-DD-006	393078	699230	2144	-50	135	201.48	NO SIGNIFICANT INTERSECTIONS												
NIV-DD-007	392890	699304	2276	-50	315	200.5	1.0	28.0	0.2	222	0.10	27.00	2.7						
							115.0	167.0	0.5	2.1		52.00	0.5						
NIV-DD-008	392887	699302	2276	-50	270	251.1	1.0	29.0	0.2	100		28.00	1.3						
							58.0	59.0	1.3			1.00	1.3						
							88.0	95.0	0.7	6.7	0.24	7.00	1						
							248.8	250.0			1.30	1.25	1.4						
NIV-DD-009	392890	699379	2271	-50	315	217.3	15.0	72.0	0.6	1.2		57.00	0.6	12	1.5	1.2		1.5	
							88.0	91.9	0.7	52.7	2.17	3.90	3.4						
							101.0	173.2	0.4			72.20	0.4						
NIV-DD-010	392887	699377	2271	-50	270	196.2	14.0	23.0	0.9	235.5	0.12	9.00	3.6						
							95.0	118.7	0.6	10.4	0.23	23.70	0.9						
NIV-DD-011	392745	699777	2368	-55	360	78.2	BOGGED AND ABANDONED												
NIV-DD-012	392745	699774	2368	-55	180	33.7	BOGGED AND ABANDONED												
NIV-DD-013	392756	699440	2285	-50	180	250.6	NO SIGNIFICANT INTERSECTIONS												
NIV-DD-014	392756	699443	2293	-50	360	138.5	102.0	108.0	0.9			6.00	0.9						
							137.0	138.5	0.3	1.5		1.50	0.3						
NIV-DD-015	392888	699378	2271	-50	360	200.1	24.0	34.8	1.8	1.4		10.80	1.8						
							87.0	113.0	0.6			26.00	0.6						
NIV-DD-016	392663	699391	2361	-50	180	214.2	NO SIGNIFICANT INTERSECTIONS												
ALM-DD-001	391542	699108	2327	-50	340	399.53	12.4	29.0	0.7	6.3		16.6	0.8						
							137.0	138.0	1.9	4.9		1.0	2						
							217.0	219.0	0.9	1.4		2.0	0.9						
							297.0	377.5	1.0	1.3		80.5	1	24	2.4				
ALM-DD-002	391555	699189	2327	-75	347	750.6	393.0	399.5	0.5			6.5	1						
							340.0	341.0	1.6	3.5		1.0	1.6						
							387.0	388.0	1.4	1.6		1.0	1.4						
							423.0	432.0	0.9	3.1		9.0	1						
							445.0	453.0	1.0	1.2		8.0	1						
							477.0	479.0	1.4	1.1		2.0	1.4						
							494.0	496.0	1.1	1.1		2.0	1.1						
							562.0	574.0	0.7	1		12.0	0.7						
609.0	610.0	1.7			1.0	1.7													
	685.0	697.0	0.9	1		12.0	0.9												

*GOLD EQUIVALENT CALCULATION ASSUMES USD \$3200/OZ GOLD AND USD \$35/OZ SILVER AND \$4.50/LB COPPER AND 90% RECOVERY FOR ALL METALS

*NOT TRUE WIDTH

GREY SHADE INDICATES AGA DRILL HOLES

TABLE 1: GUINTAR PRELIMINARY DRILL RESULTS

HOLE ID	E	N	Z(m)	DIP	AZIM	DEPTH	FROM	TO	LENGT H (m)*	GOLD		SILVER		COPPER/D EQU		INCLUDES			
										GRADE (g/t)	GRADE (g/t)	%	GRADE (g/t)	LENGT H (m)*	GOLD GRADE (g/t)	SILVER GRADE (g/t)	COPPE R %	DLD EQU	
GUI-DD-011	391643	698953	2244	-75	180	400.6	8.0	18.0	10.0	1.0	4.4								
							99.7	117.6	17.9	0.9	1.9								
							238.9	242.0	3.2	1.3	2.4								
							291.7	296.1	4.4	0.9	1.7								
GUI-DD-012	391870	698821	2185	-60	360	320.7	17.0	320.7	303.7	0.7	4.3	0.22	1.0	62	2.1	12.4	0.62	2.9	
GUI-DD-013	391870	698821	2185	-80	360	588.3	68.0	194.0	126.0	0.8	5.5	0.34	1.2	55	1.5	10.8	0.60	2.3	
							311.0	314.0	3.0	2.4									
							351.0	395.0	44.0	1.1	2.1								
							441.0	447.0	6.0	1.0									
GUI-DD-014	392124	698756	2171	-70	210	372.73	8.0	13.0	5.0	1.1	8.6	0.18	1.3						
							48.5	49.5	1.0	4.4	8.0	0.19	4.3						
							94.0	96.0	2.0	6.4									
							246.5	252.0	5.5	0.9									
GUI-DD-015	392300	699250	2356	-75	360	466.56	31.5	42.5	11.0	1.0									
							176.0	180.5	4.5	1.0									
							196.0	200.5	4.5	1.0									
							217.0	218.0	1.0	10.6	9.6								
GUI-DD-016	392250	698900	2258	-65	30	436.58	365.0	372.0	7.0	1.0									
							431.0	434.0	3.0	1.1									
GUI-DD-017	392250	698900	2258	-65	320	235.84	55.0	58.0	3.0	1.0	9.1	0.14	1.2						
							231.5	235.4	3.9	0.9	5	0.15	1.1						
GUI-DD-018	391870	698821	2185	-60	60	496.71	84.0	92.5	8.5	1.4	3.9								
							145.0	147.0	2.0	1.0	2.1	0.13	1.1						
							377.0	379.0	2.0	1.0	1.8	0.14	1.1						
							415.5	418.5	3.0	0.9	2.3	0.16	1.1						
GUI-DD-019	391834	698837	2208	-60	345	386.98	0.0	5.0	5.0	1.2	6.2								
							77.0	81.0	4.0	3.7	10.4	0.19	3.7						
							207.0	209.0	2.0	2.1									
GUI-DD-020	391957	698933	2242	-70	250	434	3.0	121.0	118.0	0.8	3.8	0.17	1.0	54	1.0	5.5	0.24	1.3	
							247.0	263.0	16.0	1.2	1.9	0.11	1.3						
							316.0	344.0	28.0	1.0	3.8	0.10	1.1						
							354.0	357.0	3.0	1.0	5.3	0.12	1.1						
							368.0	374.0	6.0	1.0	3.0	0.14	1.1						
GUI-DD-021	391882	698918	2214	-90	-	387.38	407.0	414.0	7.0	1.8	9.2								
							50.0	231.0	181.0	0.9	3.6	0.20	1.1	43	2.4	8	0.4	2.8	
GUI-DD-022	391883	698919	2214	-80	220	92.49	348.0	354.0	6.0	1.1	2.4			ABANDONED HOLE					
							40.0	47.0	7.0	1.0	11								
							55.0	60.0	5.0	1.0	6.1								
							0.0	14.0	14.0	1.0	2.8	0.20	1.2						

GUI-DD-023	391957	698933	2242	-90	-	288.95	102.0	133.0	31.0	0.8	3.3	0.23	1.1				
							266.0	269.0	3.0	1.0	2.2	0.11	1.1				
GUI-DD-024	391957	698933	2242	-60	70	260.35	0.0	177.0	177.0	0.8	3.3	0.16	1				
							208.0	211.2	3.2	1.1							
ALM-DD-001	391542	699108	2327	-50	340	399.53	12.4	16.0	3.6	1.1							
							23.0	28.1	5.1	1.2	17.6		1.3				
							297.0	377.5	80.5	1.0				18	3.0		
							397.0	399.5 (E	2.5	0.9							

^GOLD EQUIVALENT CALCULATION ASSUMES USD \$1850/OZ GOLD AND USD \$25/OZ SILVER AND \$4.0/lb COPPER AND 90% RECOVERY FOR ALL METALS

*NOT TRUE WIDTH

DOWN HOLE CUT-OFF 0.2 g/t gold only

MAXIMUM INTERNAL DILUTION -10 Meters