TABLE 1: GUINTAR-NIVERENGO-ALEMAN SUMMARY DRILL RESULTS (>0.7% COPPER, >0.6 g/t GOLD)

										GOLD EQUIV^	COPPER EQUIV	INCLUDES					
HOLE ID	E	N	Z(m)	DIP	AZIM	DEPTH	FROM	TO	WIDTH	GRADE (g/t)	COPPER %	LENGTH (m)*	GOLD GRADE (g/t)	SILVER GRADE (g/t)	COPPER %	GOLD EQUIV	COPPER EQUIV
GUI-DD-001	391385	698611	2469	-60	317	405.0	158.0	160.0	2.00	2.0							
							188.0	196.0	8.00	0.7							
							236.0	248.0	12.00	0.8							
							360.0	364.0	4.00	0.6							
GUI-DD-002	391385	698608	2469	-60	225	462.1	48.0	52.0	4.00	0.7							
							214.0	216.0	2.00	1.6							
							308.0	324.0	16.00	0.7							
GUI-DD-003	391322	698535	2537	-60	315	420.3	28.0	72.0	44.00	0.6							
							148.0	172.0	24.00	0.6							
							380.0	382.0	2.00	2.2							
GUI-DD-004	391324	698532	2537	-60	135	404.2	16.0	32.0	16.00	0.7							
							48.0	52.0	4.00	0.6							
							110.0	112.0	2.00	1.1							
							244.0	262.0	18.00	0.6							
							336.0	338.0	2.00	0.6							
							392.0	394.0	2.00	1.4							
GUI-DD-005	391387	698611	2469	-60	45	412.1	30.0	36.0	6.00	0.6							
							118.0	120.0	2.00	0.6							
							124.0	128.0	4.00	0.6							
							150.0	154.0	4.00	0.6							
							176.0	178.0	2.00	0.8							
							196.0	210.0	14.00	0.7							
							234.0	246.0	12.00	0.6							
							264.0	272.0	8.00	0.6							
							332.0	342.0	10.00	0.7							
							348.0	352.0	4.00	0.6							
							364.0	366.0	2.00	0.6							
							370.0	372.0	2.00	0.7							
							380.0	384.0	4.00	0.6							
GUI-DD-006	391671	698821	2266	-60	315	400.5	0.0	72.0	72.00	0.6	0.7						
							98.0	102.0	4.00	0.6	0.7						
							142.0	186.0	44.00	0.6	0.7						
							298.0	312.0	14.00	0.6							
							328.0	336.0	8.00	0.8							
							388.0	390.0	2.00	0.7							
							396.0	398.0	2.00	0.6							

GUI-DD-007	391672	698819	2266	-60	225	401.4	38.0	44.0	6.00	0.7	0.9							
							88.0	90.0	2.00	1.3								
							162.0	164.0	2.00	1.3								
							348.0	358.0	10.00	0.6								
							378.0	380.0	2.00	0.6								
GUI-DD-008	391674	698821	2266	-60	45	400.8	2.0	6.0	4.00	0.6								
							34.0	36.0	2.00	0.7	0.8							
							66.0	78.0	12.00	0.6	0.7							
							208.0	234.0	26.00	0.7	0.8							
							250.0	262.0	12.00	0.6								
							284.0	290.0	6.00	0.6								
							324.0	338.0	14.00	0.8	1.0							
GUI-DD-009	392279	698047	2375	-55	345	474.1	40.0	56.0	16.00	0.6								
							98.0	100.0	2.00	0.6								
							156.0	162.0	6.00	0.6								
							182.0	202.0	20.00	0.6								
							404.0	446.0	42.00	0.6		**18**	**1.1**			**1**		
GUI-DD-010	392280	698047	2375	-55	30	404.5	66.0	82.0	16.00	0.7		**10**	**1.0**			**1.0**		
							128.0	134.0	6.00	1.1								
							352.0	354.0	2.00	0.8								
GUI-DD-011	391643	698953	2244	-75	180	400.6	0.0	18.0	18.00	0.7								
							99.7	117.6	17.85	0.8								
							146.0	147.0	1.00	0.8	1.0							
							160.0	161.0	1.00	0.8								
							173.0	181.0	8.00	0.8								
							186.5	190.5	4.00	0.7	0.8							
							234.0	242.0	8.00	0.7								
							288.0	296.0	8.00	0.6								
							315.0	316.3	1.30	0.9								
							344.0	348.0	4.00	0.9								
GUI-DD-012	391870	698821	2185	-60	360	320.7	1	3	2.00	0.7								
							17.0	232.5	215.50	1.0	1.2	**75.2**	**1.9**	**10.8**	**0.60**	**2.2**	**2.7**	
							253.0	307.5	54.50	0.6	0.7							
GUI-DD-013	391870	698821	2185	-80	360	588.3	36.0	41.0	5.00	0.7								
							88.0	219.0	131.00	1.0	1.3	**57**	**1.4**	**10.2**	**0.60**	**1.9**	**2.3**	
							272.0	273.0	1.00	0.7								
							284.5	294.0	9.50	0.6	0.7							
							311.0	314.0	3.00	2.2								
							351.0	536.5	185.50	0.6		**17.5**	**2.2**	**3.8**		**2.1**		
							568.0	569.0	1.00	0.9								
							577.0	578.0	1.00	1.3	1.6							
GUI-DD-014	392124	698756	2171	-70	210	372.73	1.0	2.0	1.00	0.9								
							8.0	21.0	13.00	0.8								
							48.5	49.5	1.00	4.2	5.1							
							95.0	96.0	1.00	11.4								

							246.5	252.0	5.50	0.8								
							286.0	287.0	1.00	0.7								
							347.0	348.0	1.00	0.8								
GUI-DD-015	392300	699250	2356	-75	360	466.56	31.0	48.0	17.00	0.7								
							72.0	73.0	1.00	0.7								
							92.0	93.0	1.00	0.8								
							99.0	103.0	4.00	0.7								
							155.0	157.0	2.00	0.7								
							161.0	162.0	1.00	1.4								
							173.0	182.0	9.00	0.7								
							197.0	200.5	3.50	1.1								
							217.0	218.0	1.00	9.7								
							239.0	240.0	1.00	1.3								
GUI-DD-016	392250	698900	2258	-65	30	436.58	2.0	11.0	9.00	5.6	5.9							
							337.5	341.5	4.00	0.9								
							365.0	376.0	11.00	0.6								
							393.0	398.0	5.00	0.6								
							431.0	433.0	2.00	1.5								
GUI-DD-017	392250	698900	2258	-65	320	235.84	55.0	58.0	3.00	1.2	1.4							
							121.0	122.0	1.00	0.9	1							
							139.0	141.0	2.00	1.0								
							168.5	175.0	6.50	0.6								
							195.0	196.0	1.00	0.9								
							221.5	235.4	13.90	0.6	0.7							
GUI-DD-018	391870	698821	2185	-60	60	496.71	21.0	22.0	1.00	0.8								
							35.0	62.0	27.00	0.6	0.7							
							88.5	150.0	61.50	0.6								
							327.0	331.5	4.50	0.6								
							377.5	383.5	6.00	0.6								
							414.0	419.0	5.00	0.7	0.8							
							426.0	427.0	1.00	1.1								
							460.0	461.0	1.00	1.0								
							481.0	484.0	3.00	0.8	1.0							
GUI-DD-019	391834	698837	2208	-60	345	386.98	0.0	5.0	5.00	1.2								
							77.0	82.0	5.00	2.9	3.5							
							97.0	100.0	3.00	0.9								
							176.0	177.0	1.00	2.0								
							207.0	209.0	2.00	2.0								
							267.0	268.0	1.00	2.0								
							305.0	306.0	1.00	0.9								
							326.0	327.0	1.00	1.3								
							361.0	370.0	9.00	0.7	0.9							
GUI-DD-020	391957	698933	2242	-70	250	434	3.0	421.0	418.00	0.6	0.7	**41**	**1.2**	**6.2**	**0.3**	**1.3**	**1.6**
GUI-DD-021	391882	698918	2214	-90	-	387.38	50.0	231.0	181.00	1.0	1.2	**49**	**2.2**	**7.6**	**0.4**	**2.4**	**2.9**
							276.0	280.0	4.00	0.6								
							297.0	304.0	7.00	0.6								

							343.0	380.0	37.00	0.6								
GUI-DD-022	391883	698919	2214	-80	220	92.49	39.0	80.0	41.00	0.6		ABANDONED ABOVE OBJECTIVE						
GUI-DD-023	391957	698933	2242	-90	-	288.95	0.0	45.0	45.00	0.7	0.9							
							94.0	140.0	46.00	0.8	1.0							
							210.0	225.0	15.00	0.6	0.8							
							259.0	271.0	12.00	0.6	0.7							
							284.0	285.0	1.00	0.7	0.9							
GUI-DD-024	391957	698933	2242	-60	70	260.35	0.0	214.0	214.00	0.8	0.9	**32**	**1.5**	**4.8**	**0.2**	**1.5**	**1.8**	
							257.0	**EOH**	3.40	0.7	0.8							
GUI-DD-025	391818	698907	2217	-50	300	235.22	16.0	22.0	6.00	0.6	0.7							
							39.0	49.0	10.00	0.7	0.8							
							56.0	75.0	19.00	0.6	0.7							
							86.0	109.0	23.00	0.6	0.7							
							128.0	138.0	10.00	0.7	0.8							
							159.0	162.0	3.00	0.6	0.7							
							191.0	192.0	1.00	1.1	1.3							
							202.0	204.0	2.00	0.8								
GUI-DD-026	392183	698867	2195	-65	335	270.21	18.0	20.0	2.00	0.9	1.0							
							39.0	41.0	2.00	0.8	1.0							
							59.0	72.0	13.00	0.6								
							106.0	112.0	6.00	0.7	0.9							
							124.0	125.0	1.00	1.2								
							267.0	**EOH**	3.20	1.8	2.1							
GUI-DD-027	392300	699250	2356	-90	-	613.92	39.0	59.0	20.00	0.6								
							147.0	148.0	1.00	0.8								
							183.0	186.0	3.00	0.8								
							197.0	203.0	6.00	0.6								
							269.0	270.0	1.00	1.2								
							470.0	473.0	3.00	2.3								
							564.0	595.0	31.00	0.6								
GUI-DD-028	391878	698842	2204	-80	20	568.7	18.0	194.0	176.00	1.2	1.4	**76**	**2.1**	**7.9**	**0.4**	**2.3**	**2.8**	
							288.0	289.0	1.00	0.8								
							306.0	322.0	16.00	0.6	0.7							
							353.0	364.0	11.00	0.8								
							373.0	375.0	2.00	0.6	0.7							
							396.0	418.0	22.00	0.7	0.9							
							463.0	464.0	1.00	1.5	1.8							
							478.0	487.0	9.00	0.7	0.8							
							517.0	523.0	6.00	0.6	0.7							
							534.0	535.0	1.00	0.7								
							565.0	**EOH**	3.70	0.7								
GUI-DD-029	391878	698842	2204	-70	200	211.5	12.0	13.0	1.00	1.0								
							81.0	90.0	9.00	0.6								
							149.0	151.0	2.00	0.7								
GUI-DD-030	391778	698973	2273	-60	230	151.15	31.0	33.0	2.00	0.6	0.7							
							44.0	87.0	43.00	0.6	0.7	**10**	**0.9**	**5**	**0.4**	**1.2**	**1.4**	

GUI-DD-030	391778	698973	2273	-60	230	191.15	108.0	122.0	14.00	0.6	0.8							
							142.0	145.0	3.00	2.8								
GUI-DD-031	391778	698973	2273	-60	195	193.7	0.0	**EOH**	193.70	0.6	0.7	**15**	**1.0**	**11.3**	**0.6**	**1.5**	**1.8**	
GUI-DD-032	391773	698968	2250	-60	130	341.7	10.0	19.0	9.00	0.6	0.7							
							159.0	255.0	96.00	1.1	1.3	**35**	**1.1**	**26.3**	**0.4**	**1.7**	**2.0**	
							279.0	281.0	2.00	0.7	0.9							
CHU-DD-001	391890	699082	2360	-60	190	402.5	52.0	54.0	2.00	0.6								
							57.0	58.0	1.00	1.0								
							158.0	159.0	1.00	8.4								
							234.0	241.0	7.00	0.6	0.7							
							250.0	**EOH**	152.50	0.6	0.7	**26**	**0.8**	**6.3**	**0.3**	**1.1**	**1.3**	
CHU-DD-002	391890	699082	2360	-65	310	445.95	57.0	58.0	1.00	1.4								
							330.0	332.0	2.00	6.0								
							424.0	425.0	1.00	1.1								
NIV-DD-001	393279	699026	2025	-50	345	300.22	NO SIGNIFICANT INTERSECTIONS											
NIV-DD-002	393872	699573	2083	-50	345	226.16	NO SIGNIFICANT INTERSECTIONS											
NIV-DD-003	392909	699290	2253	-50	165	234.08	0.0	38.0	38.00	1.2								
							172.0	174.0	2.00	1.9								
NIV-DD-004	392909	699290	2253	-50	345	302.36	8.0	182.0	174.00	0.8		**46**	**1.2**	**2.3**		**1.2**		
NIV-DD-005	393078	699230	2144	-50	315	214.57	NO SIGNIFICANT IN											
NIV-DD-006	393078	699230	2144	-50	135	201.48	NO SIGNIFICANT IN											
NIV-DD-007	392890	699304	2276	-50	315	200.5	1.0	28.0	27.00	3.7								
							31.0	32.0	1.00	1.2								
							115.0	121.0	6.00	0.8								
							139.0	157.2	18.20	0.6	0.7							
							161.0	167.0	6.00	0.7								
NIV-DD-008	392887	699302	2276	-50	270	251.1	1.0	29.0	28.00	1.9								
							58.0	59.1	1.10	1.2								
							88.0	97.0	9.00	0.8	1.0							
NIV-DD-009	392890	699379	2271	-50	315	217.3	15.0	45.4	30.40	0.8		**10.8**	**1.5**	**1.2**		**1.4**		
							89.0	92.0	3.00	2.4	2.9							
							101.0	103.0	2.00	1.1								
							120.0	124.0	4.00	1.2								
							162.0	166.7	4.70	0.9								
NIV-DD-010	392887	699377	2271	-50	270	196.2	5.0	23.0	18.00	2.8								
							92.0	118.7	26.70	1.0								
NIV-DD-011	392745	699777	2368	-55	360	78.2	BOGGED AND ABA											
NIV-DD-012	392745	699774	2368	-55	180	33.7	BOGGED AND ABA											
NIV-DD-013	392756	699440	2285	-50	180	250.6	NO SIGNIFICANT IN											
NIV-DD-014	392756	699443	2293	-50	360	138.5	102.0	108.0	6.00	0.8								
NIV-DD-015	392888	699378	2271	-50	360	200.1	24.5	30.3	5.80	3.0	3.7							
							89.0	102.0	13.00	0.7								
NIV-DD-016	392663	699391	2361	-50	180	214.2	NO SIGNIFICANT IN											
							12.4	29.0	16.58	0.7								
							137.0	138.0	1.00	1.8								

ALM-DD-001	391542	699108	2327	-50	340	399.53	217.0	219.0	2.00	0.8								
							297.0	300.0	3.00	1.1								
							313.0	377.5	64.50	1.1		**24**	**2.4**	**2.7**		**2.3**	
							393.0	398.0	5.00	0.6								
ALM-DD-002	391555	699189	2327	-75	347	750.6	340.0	341.0	1.00	1.6								
							387.0	388.0	1.00	1.3								
							423.0	448.0	25.00	0.7								
							478.0	482.0	4.00	0.8								
							494.0	496.0	2.00	1								
							562.0	574.0	12.00	0.7								
							609.0	610.0	1.00	1.5								
							632.0	633.0	1.00	0.7								
							667.0	668.0	1.00	0.6								
							682.0	700.0	18.00	0.6								
							716.0	718.0	2.00	0.6								

0.25 G/T GOLD EQUIVALENT CUTOFF, MAXIMUM 10m INTERNAL DILUTION

^GOLD EQUIVALENT CALCULATION ASSUMES USD $4300/OZ GOLD AND $65/OZ SILVER AND $5.20/lb COPPER AND $27/lb WO$_3$ AND $34/lb MOLYBDENUM AND 90% RECOVERY FOR ALL METALS A

*NOT TRUE WIDTH

GREY SHADE INDICATES AGA DRILL HOLES

SUMMARY INTERSECTIONS MARGARITAS PROJECT COLOMBIA																
HOLE ID	EAST	NORTH	ELEVATION	DEPTH	AZIM	DIP	FROM	TO	INTERSECTION (m)*	GOLD EQ (g/t)^	GOLD	SILVER	COPPER	LEAD	ZINC	ANTIMONY
MAR-DD-001	394045	694637	2125	253.1	10	-50	0.0	22.0	22.0	0.5	0.1	18.8				
							38.0	43.0	5.0	0.8	0.2	36.9				
							65.0	76.0	11.0	0.9	0.1	39.1	0.2		0.1	
							155.0	158.0	**3.0**	**3.5**	**1.0**	**144.5**	**0.1**	**0.2**	**1.0**	**185.0**
							235.0	236.0	**1.0**	**4.4**	**0.7**	**222.0**		**0.4**	**1.0**	**247.0**
MAR-DD-002	394045	694637	2125	253.45	290	-50	0.0	36.0	36.0	0.5	0.2					
							47.0	48.0	**1.0**	**1.6**	**0.3**	**75.6**		**0.2**		**155.0**
							66.0	67.0	**1.0**	**2.8**	**1.0**	**108.0**			**0.3**	**255.0**
							168.0	169.0	**1.0**	**2.0**	**0.3**	**104.0**				**345.0**
							177.0	181.0	**4.0**	**11.3**	**0.4**	**631.0**		**0.6**	**0.5**	**4743.5**
MAR-DD-003	394045	694637	2125	416.5	210	-70	88.0	89.0	**1.0**	**2.4**	**0.20**	**138.0**				**248.0**
							102.0	112.0	**10.0**	**1.3**	**0.4**	**50.5**				**241.9**
							171.0	176.0	**5.0**	**6.9**	**1.2**	**333.4**		**0.3**	**0.1**	**2821.6**
MAR-DD-004	394045	694637	2125	230.65	210	-90	0.0	7.0	**7.0**	0.5	0.3	11.8				
							48.0	52.0	**4.00**	**3.6**	**0.5**	**191.1**		**0.2**	**0.3**	**277.0**
							100.0	123.0	**23.00**	1.0	0.2	46.0		0.1	0.3	
							147.0	149.0	**2.00**	2.0	0.9	61.8		0.2	0.4	

^Gold equivalent values for silver-antimony carbonate-base-metal vein/breccia intervals include Au, Ag, Cu, Pb, Zn and Sb. Gold equivalent values for other reported intervals include Au, Ag, Cu, Pb and Zn only. Metal prices used were US$1,300/oz Au, US$65/oz Ag, US$5.50/lb Cu, US$0.86/lb Pb, US$1.50/lb Zn and US$25,000/t Sb, with 90% recovery and 100% payability assumed for all metals.